# Voice over Internet Protocol (VoIP) Exploring the Coreness of VoIP Control Points

Chintan Vaishnav chintanv@mit.edu

Core-Edge Working Group Communications Futures Program Massachusetts Institute of Technology

### Outline

- Basic Elements (VoIP Control Points) -- Constellations
- Business Models (Classes of VoIP) Static Intra-Product
- Two Scenarios
  - Commoditization of Basic Voice Service
  - Growth of Innovative, VoIP-inside Communication Services
- Coreness of Control Points Dynamic Intra-Product
- Summary Inter-Product

## **Basic Elements (VoIP Control Points)**

- Local Access
- National Backbone
- International Backbone
- Bit Transport (Voice Quality)
- Call Signaling
- PSTN Gateway
- Features
- End Device/Software
- Name Space



### **Business Models (Classes of VoIP)**

Based on who manages which control point and how (centralized/decentralized)

VoIP in the backbone	Facility Based VoIP	VoIP over Broadband	P2P VoIP
A	B1	B2	С
<ul> <li>Circuit Switching</li> <li>Same Operator and Service Provider</li> </ul>	<ul> <li>Packet Switching</li> <li>Same Operator and Service Provider</li> </ul>	<ul> <li>Packet Switching</li> <li>Different Operator and Service Provider</li> </ul>	<ul> <li>Packet Switching</li> <li>Operator agnostic</li> <li>Service Provider</li> </ul>
(e.g. AT&T, Sprint, MCI )	(e.g. VoCable, VoDSL, VoIP over Wireless)	(e.g. Vonage, SkypeOut, SkypeIn)	(e.g. FWD, Skype, Yahoo!, IM)

### **Business Models (Contd.)**

Who owns the control points

Communications Value Chain	NETWORK EQUIPMENT MANU- FACTUROR	FACILITIES PROVIDER (NETWORK OPERATOR)	SERVICE PROVIDER	FEATURE (APPLICATN . PROVIDER	CPE (PHONES, MODEMS ETC.)
Business Models				_	
VoIP in the backbone	Network Equipment Vendor	Combination of LEC and IXC (Access, Bit Transport, Call Signaling, Features)			Third party ( <i>End Device</i> , e.g.Phone)
Facility Based VoIP	Network Equipment Vendor	Cable Operator, DSL, Wireless BB provider (Access, Bit Transport, Call Signaling, PSTN, Gateway, Features) Some End Devices – e.g. Cable Modem			Third party <i>End Device,</i> Phone
VoIP over Broadband	Network Equipment Vendor	Operator (Access)		VoIP Service Provide (Bit Transport (RTF Call Signaling, Feature)	
P2P VoIP	Network Equipment Vendor	Operator (Access)	Service Provider (Bit Transport UDP/TCP/IP)	App. Provider (Bit Transport Call Signaling, Features, End App.)	
	5				

### Scenario 1: Commoditization of Basic Voice Service


- Many Access Substitutes PSTN, Cable, DSL, Wireless and now WiFi/WiMax
- Cheap PSTN interoperability
- More Signaling Substitutes Cheap service from SIP servers and gateways
- Many SIP enabled devices and applications
- Voice comes bundled with Internet Connectivity
- No VoIP Blocking

#### Scenario 2: Growth of Innovative, VoIP-inside Communication Services


- Application beyond Internet Telephony
  - Gaming
  - Distance Learning
  - Internet Radio, Internet TV, Webcast
- SIP support in operating systems and easy application programming internface (API)
- Many SIP enabled devices and applications

#### Scenario 3: Recent Events


- Incumbent Mergers/Acquisitions likely Verizon-MCI
- Municipal broadband proliferation (UTOPIA)
- Municipal broadband restrictions (PA, FL)
- Incumbent owned WiFi Hotspots (T-Mobile Hotspots)
- Server-less SIP (Damaka, X-ten)
- SIP Service Inter-operation (FWD-Vonage/Packet8)




#### Evolving Coreness of Bit Transport (Voice Quality)




**Evolving Coreness of Call Signaling** 



#### **Evolving Coreness of Features**



Evolving Coreness of End Device/Software



**Evolving Coreness of Name Space** 

